

As  
corrid

metal alloy is of a body-centered cubic structure mono phase without any spinodal decomposition phase or has a body-centered cubic structure together with only a minimum spinodal decomposition phase which is unavoidably produced.


22. The hydrogen fuel battery according to claim 15, wherein the above-mentioned temperature controlling means is arranged so as to enable the heat discharged from the above-mentioned fuel battery cell or the exhaust gas discharged from the said fuel battery cell to be utilized for the above-mentioned heating.--

#### REMARKS

The claims have been revised to eliminate multiple dependencies and new claims have been added to further scope the invention. No new matter is believed entered by any of the foregoing amendments. In accordance with 37 CFR 1.121, attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

The filing fees have been calculated based on the claims as amended. Form PTOL-2038 is enclosed authorizing an \$18 charge for the added claims. In the event there are any fee deficiencies or additional fees are payable, please charge them (or credit any overpayment) to our Deposit Account No. 08-1391.

Respectfully submitted,

  
Norman P. Soloway  
Attorney for Applicants  
Reg. No. 24,315

HAYES, SOLOWAY,  
HENNESSEY, GROSSMAN  
& HAGE, P.C.  
P.O. BOX 3042  
130 W. CUSHING ST.  
TUCSON, AZ 85702-3042

TEL. 520.882.7623  
FAX. 520.882.7643

CERTIFICATE OF EXPRESS MAILING

"Express Mail" Mailing Label No. EF408018595US

Date of Deposit September 27, 2001

I hereby certify that this paper and the papers listed thereon are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: Box Patent Application, Assistant Commissioner of Patents, Washington, DC 20231.

Signature of Person Mailing

*Kimberly Good*

Name of Person Mailing Kimberly Good

10/26/01 10:58:50

HAYES, SOLOWAY,

HENNESSEY, GROSSMAN

& HAGE, P.C.

P.O. BOX 3042

130 W. CUSHING ST.

TUCSON, AZ 85702-3042

TEL. 520.882.7623

FAX. 520.882.7643

Version with markings to show changes made.

6. (Amended) The hydrogen storage metal alloy according to [any of claims 3 to 5] claim 3, wherein the tissue structure of the above-mentioned suitably adjusted hydrogen storage metal alloy is of a body-centered cubic structure mono phase without any spinodal decomposition phase or has a body-centered cubic structure together with only a minimum spinodal decomposition phase with is unavoidably produced.

9. (Amended) The method for absorbing and releasing hydrogen according to claim 7 [or 8], wherein the composition ratio of the constituent metals for the alloy is adjusted to an appropriate range in order to reduce the stability of the hydrogen occluded in the alloy during the low-pressure plateau region or the lower plateau region of the inclined plateau such that the temperature of the said alloy can be brought to the above high temperature (T2) whereby at least part of the occluded hydrogen will be made desorbable during the low-pressure plateau region in the above-mentioned two-stage plateau or the lower plateau region of the inclined plateau.

13. (Amended) The method for absorbing and releasing hydrogen according to [any of claims 10 to 12] claim 10, wherein the tissue structure of the above-mentioned suitably adjusted hydrogen storage metal alloy is of a body-centered cubic structure mono phase without any spinodal decomposition phase or has a body-centered cubic structure together with only a minimum spinodal decomposition phase which is unavoidably produced.

16. (Amended) The hydrogen fuel battery according to claim 14 [or 15], wherein the above-mentioned temperature controlling means is arranged so as to enable the heat discharged from the above-mentioned fuel battery cell or the exhaust gas discharged from the said fuel battery cell to be utilized for the above-mentioned heating.